

| No. | Function | Description |
|-----|--|---|
| 1 | addslashes() | Returns a string with backslashes in front of the specified characters |
| 2 | addslashes() | Returns a string with backslashes in front of predefined characters |
| 3 | bin2hex() | Converts a string of ASCII characters to hexadecimal values |
| 4 | chop() | Removes whitespace or other characters from the right end of a string |
| 5 | chr() | Returns a character from a specified ASCII value |
| 6 | chunk_split() | Splits a string into a series of smaller parts |
| 7 | convert_cyr_string() | Converts a string from one Cyrillic character-set to another |
| 8 | convert_uudecode() | Decodes a uuencoded string |
| 9 | convert_uuencode() | Encodes a string using the uuencode algorithm |
| 10 | count_chars() | Returns information about characters used in a string |
| 11 | crc32() | Calculates a 32-bit CRC for a string |
| 12 | crypt() | One-way string hashing |
| 13 | echo() | Outputs one or more strings |
| 14 | explode() | Breaks a string into an array |
| 15 | fprintf() | Writes a formatted string to a specified output stream |
| 16 | get_html_translation_table() | Returns the translation table used by htmlspecialchars() and htmlentities() |
| 17 | hebrew() | Converts Hebrew text to visual text |
| 18 | hebrevc() | Converts Hebrew text to visual text and new lines (\n) into |
| 19 | hex2bin() | Converts a string of hexadecimal values to ASCII characters |
| 20 | html_entity_decode() | Converts HTML entities to characters |
| 21 | htmlentities() | Converts characters to HTML entities |
| 22 | htmlspecialchars_decode() | Converts some predefined HTML entities to characters |
| 23 | htmlspecialchars() | Converts some predefined characters to HTML entities |
| 24 | implode() | Returns a string from the elements of an array |
| 25 | join() | Alias of implode() |
| 26 | lcfirst() | Converts the first character of a string to lowercase |
| 27 | levenshtein() | Returns the Levenshtein distance between two strings |
| 28 | localeconv() | Returns locale numeric and monetary formatting information |

| | | |
|----|---|--|
| 29 | ltrim() | Removes whitespace or other characters from the left side of a string |
| 30 | md5() | Calculates the MD5 hash of a string |
| 31 | md5_file() | Calculates the MD5 hash of a file |
| 32 | metaphone() | Calculates the metaphone key of a string |
| 33 | money_format() | Returns a string formatted as a currency string |
| 34 | nl_langinfo() | Returns specific local information |
| 35 | nl2br() | Inserts HTML line breaks in front of each newline in a string |
| 36 | number_format() | Formats a number with grouped thousands |
| 37 | ord() | Returns the ASCII value of the first character of a string |
| 38 | parse_str() | Parses a query string into variables |
| 39 | print() | Outputs one or more strings |
| 40 | printf() | Outputs a formatted string |
| 41 | quoted_printable_decode() | Converts a quoted-printable string to an 8-bit string |
| 42 | quoted_printable_encode() | Converts an 8-bit string to a quoted printable string |
| 43 | quotemeta() | Quotes meta characters |
| 44 | rtrim() | Removes whitespace or other characters from the right side of a string |
| 45 | setlocale() | Sets locale information |
| 46 | sha1() | Calculates the SHA-1 hash of a string |
| 47 | sha1_file() | Calculates the SHA-1 hash of a file |
| 48 | similar_text() | Calculates the similarity between two strings |
| 49 | soundex() | Calculates the soundex key of a string |
| 50 | sprintf() | Writes a formatted string to a variable |
| 51 | sscanf() | Parses input from a string according to a format |
| 52 | str_getcsv() | Parses a CSV string into an array |
| 53 | str_ireplace() | Replaces some characters in a string (case-insensitive) |
| 54 | str_pad() | Pads a string to a new length |
| 55 | str_repeat() | Repeats a string a specified number of times |
| 56 | str_replace() | Replaces some characters in a string (case-sensitive) |
| 57 | str_rot13() | Performs the ROT13 encoding on a string |

| | | |
|----|----------------------------------|--|
| 58 | str_shuffle() | Randomly shuffles all characters in a string |
| 59 | str_split() | Splits a string into an array |
| 60 | str_word_count() | Count the number of words in a string |
| 61 | strcasecmp() | Compares two strings (case-insensitive) |
| 62 | strchr() | Finds the first occurrence of a string inside another string (alias of strstr()) |
| 63 | strcmp() | Compares two strings (case-sensitive) |
| 64 | strcoll() | Compares two strings (locale based string comparison) |
| 65 | strcspn() | Returns the number of characters found in a string before any part of some specified characters are found |
| 66 | strip_tags() | Strips HTML and PHP tags from a string |
| 67 | stripslashes() | Unquotes a string quoted with addslashes() |
| 68 | stripslashes() | Unquotes a string quoted with addslashes() |
| 69 | stripos() | Returns the position of the first occurrence of a string inside another string (case-insensitive) |
| 70 | stristr() | Finds the first occurrence of a string inside another string (case-insensitive) |
| 71 | strlen() | Returns the length of a string |
| 72 | strnatcasecmp() | Compares two strings using a "natural order" algorithm (case-insensitive) |
| 73 | strnatcmp() | Compares two strings using a "natural order" algorithm (case-sensitive) |
| 74 | strncasecmp() | String comparison of the first n characters (case-insensitive) |
| 75 | strncmp() | String comparison of the first n characters (case-sensitive) |
| 76 | strpbrk() | Searches a string for any of a set of characters |
| 77 | strpos() | Returns the position of the first occurrence of a string inside another string (case-sensitive) |
| 78 | strrchr() | Finds the last occurrence of a string inside another string |
| 79 | strrev() | Reverses a string |
| 80 | strripos() | Finds the position of the last occurrence of a string inside another string (case-insensitive) |
| 81 | strrpos() | Finds the position of the last occurrence of a string inside another string (case-sensitive) |
| 82 | strspn() | Returns the number of characters found in a string that contains only characters from a specified charlist |
| 83 | strstr() | Finds the first occurrence of a string inside another string (case-sensitive) |
| 84 | strtok() | Splits a string into smaller strings |
| 85 | strtolower() | Converts a string to lowercase letters |
| 86 | strtoupper() | Converts a string to uppercase letters |

| | | |
|----|----------------------------------|--|
| 87 | strtr() | Translates certain characters in a string |
| 88 | substr() | Returns a part of a string |
| 89 | substr_compare() | Compares two strings from a specified start position (binary safe and optionally case-sensitive) |
| 90 | substr_count() | Counts the number of times a substring occurs in a string |
| 91 | substr_replace() | Replaces a part of a string with another string |
| 92 | trim() | Removes whitespace or other characters from both sides of a string |
| 93 | ucfirst() | Converts the first character of a string to uppercase |
| 94 | ucwords() | Converts the first character of each word in a string to uppercase |
| 95 | vfprintf() | Writes a formatted string to a specified output stream |
| 96 | vprintf() | Outputs a formatted string |
| 97 | vsprintf() | Writes a formatted string to a variable |
| 98 | wordwrap() | Wraps a string to a given number of characters |